

Modhumoti Bank PLC.

Common Services Division Head Office

Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212 https://www.modhumotibankplc.com/

INVITATION FOR TENDER FOR INTERIOR DECORATION FOR PROPOSED BIRGANJ BRANCH, DINAJPUR

Sealed tender is hereby invited from the eligible Tenderers who can participate in tender as defined in the tender documents of the under mentioned works as per terms & conditions stated below:

Procuring Entity

Modhumoti Bank PLC., Common Services Division,

Khandker Tower (Level-7), 94 Gulshan Avenue, Gulshan-1,

Dhaka-1212

2. Tender Name

Civil and interior/ exterior for BIRGANJ BRANCH,

DINAJPUR (Proposed) as well as ATM booth at the

same location.

 Time of completion of work The Branch @ 35 days from the date of issuance Work

Order.

Eligibility of Tenderers

i) The Tenderer shall be given priority who has experience of "Construction, Interior decoration and Furniture supply works" in the field of Bank Interiors in Bangladesh, which must be executed by the contractor during last three financial years.

 All experiences must be backed by with proper documentation (i.e. work order, completion certificate) from respective banks.

iii) Up to date Trade license, Income Tax clearance certificate, VAT & BIN Certificate.

iv) Must be financially solvent.

5. Price of Tender Document

Will be distributed through mail. No Purchase value.

6. Amount of Tender Security

No Tender Security Money.

 Name & address of the : office from where tender documents to be obtained & dropped Modhumoti Bank PLC., Common Services Division, Khandker Tower (Level-7), 94 Gulshan Avenue, Gulshan-1,

Dhaka-1212.

:

 Last date & time for tender submission

On or before 2.30 P.M. on 26.10.2025.

9. Pre-Bid Meeting

Will be notified, if required

 Date & time for tender opening At Bank's own dispretion

11. Special instructions

At Bank's own discretion through Bank's internal committee

Modhumoti Bank PLC. reserves the right to accept partly or fully any tender or reject any tender and not bound to accept the lowest quotation, without assigning any reason whatsoever.

(S.M.Shahin Iqbal)

Vice President
Head of Common Services Division





COMMON SERVICES DIVISION, HEAD OFFICE CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

TENDER FOR INTERIOR DECORATION AND RELATED WORKS For Opening BIRGANJ BRANCH, DINAJPUR as well as ATM Booth at the said location

OCTOBER-2025

MODHUMOTI BANK PLC.

COMMON SERVICES DIVISION CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212





COMMON SERVICES DIVISION, HEAD OFFICE CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

PACKAGE - 1

PART I

PAPERS AND DOCUMENTS

PART II

SPECIFICATIONS, SCHEDULE OF ITEMS AND BILL OF QUANTITY





COMMON SERVICES DIVISION, HEAD OFFICE CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

PART 1

PAPERS AND DOCUMENTS

- 1. TENDER NOTICE
- 2. ABSTRACT OF THE TENDER





COMMON SERVICES DIVISION, HEAD OFFICE CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

TENDER NOTICE

SECTION 1





MODHUMOTI BANK PLC., Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

TENDER NOTICE

1.01 TENDER NOTICE

Tender is sealed covers in prescribed form are hereby invited by the undersigned from reputed firms engaged in constructions, Interior Decoration having experience in the field of Bank/Insurance/ Reputed office interiors in Bangladesh.

1.02 NAME OF WORK

Interior decoration & other related works for opening of Bank's BIRGANJ BRANCH, DINAJPUR as well as ATM booth at the said location.

1.03 SALE OF TENDER DOCUMENTS

Tender documents will be mailed to their authorized (as submitted to the Bank) for submission of the same as per rules. No purchase is required in this regard.

1.04 OPENING OF TENDER DOCUMENT

Tender will be received by the office of the undersigned within 2.30 P.M. on 26.10.2025.

1.05 SECURITY DEPOSIT

The Bank would retain a total of 10% of the certified bill amount as security deposit from the awarded vendor.

1.06 TIME FOR COMPLETION

Time for completion of works is 30 (thirty) days from the date of issue of the written work order.

1.07 SITE VISIT

The bidder must visit the respective site of work and make him fully acquainted with the site condition & see Scope of works and the available space, services and conceptual design drawings before submitting tender.

1.08 SUBMITTANCE

The undersigned has the right to accept or reject any or all the offers without assigning any reason whatsoever. The Undersigned also reserves the right to split up the work between two or more Contractors.

1.09 EARNEST MONEY

Not Required.

VICE PRESIDENT & HEAD OF DIVISION COMMON SERVICES DIVISION CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212





COMMON SERVICES DIVISION, HEAD OFFICE CSD, Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

ABSTRACT OF THE TENDER

SECTION 2





MODHUMOTI BANK PLC., Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212.

ABSTRACT OF TENDER

| 2.01 | NAME OF THE OWNER | MODHUMOTI BANK PLC. |
|------|--------------------------------|--|
| 2.02 | NAME OF THE PROJECT | INTERIOR DECORATION AND RELATED WORKS OPENING OF BIRGANJ BRANCH, DINAJPUR (1800 sft.) AS WELL AS ATM BOOTH |
| 2.03 | PROJECT SITE | 1 st floor, Wahed Plaza, Ward No.04, Holding No.81, Khansama Road, Birganj, Dinajpur |
| 2.04 | SECURITY DEPOSIT | 10% of the certified final bill amount and fully refunded after Twelve months from the date of hand over of the project. |
| 2.05 | VALIDITY OF TENDER | 30 (Thirty) days. |
| 2.06 | DATE OF AWARD OF WORK | The date of issue of order in writing [work order] to Commence the work. |
| 2.07 | TIME OF COMPLETION | 30 [Thirty] days from the date of issuing written work Order. |
| 2.08 | PERIOD OF MAINTENANCE | 12 [Twelve] months from the date of issue of final certificate of completion by the authority. |
| 2.09 | PAYMENT | All payments shall be in Taka on submission of bill and Consequent certification by the Authority after opening of the project. All local taxes, duties, Govt. charge etc. will become payable by the contractor. But the Bank Authority shall deduct Income Tax as per existing rule from contractor's bill. Bill will be paid as per actual measurement not as per schedule. |
| 2.10 | ANALYSIS OF RATES | Shall has to be submitted as and when required as per request of the Authority/Bank Authority. |
| 2.11 | PRICE ESCALATION | No claim for price escalation shall be entertained up to the completion time. |
| 2.12 | TOOLS, MACHINERY AND EQUIPMENT | Γ |

All tools, equipment and machinery, etc. required for execution of the work are to be arranged by the contractor at his/their own cost. The contractor must also arrange additional tools, equipment if required when asked by the Authority/ Authority.





MODHUMOTI BANK PLC., Khandker Tower (Level-7 & 8), 94 Gulshan Avenue, Gulshan-1, Dhaka-1212

ABSTRACT OF TENDER

| 2.13 | MATERIAL STORAGE | materia | ctor shall be responsible for storage, security of all and equipment as site at his own cost till the tion of the work. | | |
|------|--|---|---|--|--|
| 2.14 | POWER, WATER ETC. | | ntractor must provide required power and water at his/ wn cost to complete the project. | | |
| 2.15 | APPROVAL OF MATERIAL & SAMPLE OF WORKS | All materials must be approved [in whiting] by the Bank Authority. | | | |
| 2.16 | QUALIFICATION OF CONTRACTOR | | | | |
| | | i) ii) | The Tenderer shall be given priority who has experience of "Construction, Interior decoration and Furniture supply works" in the field of Bank Interiors in Bangladesh, which must be executed by the contractor during last three financial years All experiences must be backed by with proper | | |
| | | | documentation (i.e. work order, completion certificate) from respective banks. | | |
| | | iii) | Up to date Trade license, Income Tax clearance certificate, VAT & BIN Certificate. | | |
| | | iv) | Must be financially solvent. | | |
| 2.17 | DESIGN AND DRAWINGS | Bank sl | hall produce to the awarded contractor | | |
| 2.18 | SUBMISSION OF TENDER | | ctor will fill up all the papers containing in the tender les duly signed and sealed and submit it as tender. | | |
| 2.19 | SUBMISSION OF SAMPLE | fittings | if needed by the Authority/ Bank Authority as ned in schedule of items of works. | | |
| 2.20 | EARNEST MONEY | Not Re | quired | | |



| NO | PARTICULARS | AMOUNT (BDT) | | | | |
|----|-------------------------------|--------------|--|--|--|--|
| Α | Civil Works | | | | | |
| В | Paint Works | 3. | | | | |
| С | Doors & Internal Partitions | | | | | |
| D | Ceiling & Curtain Glass Works | | | | | |
| E | Plumbing & Sanitation Works | | | | | |
| F | Electrical Works | | | | | |
| G | Internet & Networking | | | | | |
| н | Miscellaneous Works | | | | | |
| ı | Furniture Works | | | | | |
| | TOTAL (BDT) = | | | | | |

In Word (Taka):



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|------|--|------|------|------------|--------------|
| A. C | ivil Works: | | | | |
| 1 | 5" BRICK WORK: 5" Thickness Brick work (1:4) with 1st class bricks - all complete as per direction of consulting architect & full satisfaction of the Bank authority. | 650 | Sft | | |
| 2 | PLASTER WORK: Minimum 12 mm thick cement sand (F.M.not below 1.2) plaster (1:6) with fresh cement (conforming to BDS 232) to wall both inner-and outer surface, finishing the corner and edges in/c washing of sand, cleaning the surface, scaffolding and curing at least for 7 days etc. all complete in all respect as per direction of the engineer-in-charge. | 1500 | Sft | | |
| 3 | VAULT ROOM RCC WORK: Reinforced cement concrete works (1:2:4) with cement, best quality sand [50% quantity of best local sand (F.M. 1.2) and 50% quantity of Sylhet sand or coarse sand of equivalent F.M. 2.5] and 20 mm down well graded crushed stone chips including breaking chips and screening, making, placing in position, making shutter water-tight properly, placing reinforcement (using deformed bars 10 mm dia, 125 mm c/c both ways double layers for vault room & locker room and 4 nos 12 mm dia deformed bars & 10 mm dia stirups @125 mm c/c for lintel over door & windows opening) in position; mixing with mixer machine, casting in forms, compacting by vibrator machine and curing at least for 28 days, removing centering-shuttering- all complete as per direction of consulting architect. | 200 | Cft | | |
| 4 | KITCHEN COUNTER: Kitchen counter(1'-6" width) made of 3" thick RCC slab (1:2:4) including necessary 5" brick wall support, laying, cutting, grinding, bottom of RCC slab will be net cement finish etc. | 7.5 | Rft. | | |
| 5 | CASH COUNTER: Supply, fitting & fixing of Cash Counter made of 10" thick B/W with plaster and 3" thick R.C.C slab with granite cover, working top with stainless steel, necessary welding, bobing, polishing etc as per design, direction of Consulting Architect. | 8 | Rft | | |
| 6 | CERAMIC TILES (8"X12"): supplying, fitting & fixing of 8" x 12" Ceramic tiles at bathroom with minimum 3/4" thick cement morter (1:2) base, cutting and laying the tiles in proper way, setting in position keeping horizontal & vertical alignment with care, pointing & polishing etc. | 550 | Sft | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|------|---|------|-------|--------------|--------------|
| 7 | HOMOGENEUS MATTE TILES (16"x16") For Vault & Washroom: supplying, fitting & fixing of 16" x 16" homogeneus mat tiles with minimum 3/4" thick cement morter (1:2) base and fill in joint with same colour cement including chipping where necessary, cutting and laying the tiles in proper way, setting in position keeping horizontal & vertical alignment with care, pointing & polishing etc. | 300 | Sft | | |
| 8 | HOMOGENEUS MATTE TILES (24"X24"): supplying, fitting & fixing of 24" x 24" homogeneus mat tiles with minimum 3/4" thick cement morter (1:2) base and fill in joint with same colour cement including chipping where necessary, cutting and laying the tiles in proper way, setting in position keeping horizontal & vertical alignment with care, pointing & polishing etc. | 1100 | Sft | | |
| | | | SUB T | OTAL (BDT) = | 0.00 |
| 3. P | aint Works: | | | | |
| 1 | PLASTIC PAINT (BERGER): Painting Work with Plastic emulsion paint of approved best quality (Berger) in a sealed container, applying to wall in two coats over a coat of brand specified primer including cleaning drying, making free from dirt, removing all chalked & scaled materials, fungus, sand papering the surface and necessary scaffolding, spreading by brush/ roller/spray etc. all complete as per direction of the engineer-incharge. | 3000 | Sft | | |
| 2 | ENAMEL PAINT (BERGER):Painting Work with Enamel paint of approved best quality (Berger) in a sealed container, applying two coats over a coat of brand specified primer or sealer elapsing specified time for drying/recoating including cleaning drying, making free from dirt, grease, wax, removing all chalked & scaled materials, fungus, mending good the surface defects, sand papering the surface and necessary scaffolding, spreading by brush/ roller/spray etc. all complete as per | 300 | Sft | | |
| | direction of the engineer-in-charge. | | | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|------|---|------|------|------------|--------------|
| C. D | oors & Internal partitions: | | | | |
| 1 | Full/LOW HEIGHT GLASS PARTITION: (7'-0"& 4'-0" high): supplying, fitting & fixing of 10 mm glass with best quality hardware all complete as per design, direction & full satisfaction of the Architect. | 200 | Sft | | |
| 2 | TEMPERED GLASS DOOR: supplying, fitting & fixing of frameless 10 mm glass door with best quality hardware, stainless steel handle, consealed auto closers, stoppers, locking arrangements etc- all complete as per design, direction & full satisfaction of the Architect. | | | | |
| | a) Size: 2'-0"x7'-0" | 2 | Nos | | |
| | b) Size: 3'-0"x7'-0" | 2 | Nos | | |
| | c) Size: 2'-6"x7'-0" | 1 | Nos | | |
| 3 | ALUMINUM SLIDING DOOR Supplying, fitting and fixing of aluminum sliding windows/doors of 3" silver colored anodized aluminum section with all foreign made hardware of best quality available viz: handle, locks, wheels original bronze anodized star head matching screws, weather seal/ Mohair, rubber gasket, rivets, neoprene, sealant etc. in/c fitting and fixing of distortion free 5 mm thick clear float glass of approved quality and shade of foreign origin in/c fixing all necessary accessories etc., complete in all respect as per design, drawing and direction of Architect/Authority. | 48 | Sft | | |
| 4 | PLASTIC DOOR for Washroom: Supply, fitting & fixing of best quality RFL Plastic door, including frame with the supply of best quality all hardware, clamps, coal tarring of frame including etc. all complete as per direction and full satisfaction of the Engineer / Bank authority. | 2 | Nos | | |
| 5 | FLUSH DOOR: Supply, fitting & fixing of best quality Garjan plywood made of star particle board solid flush door, including frame by best quality seasoned Garjan wood 2.5" X 6" section with the supply of best quality all hardware, 4" brass hinges, clamps, coal tarring of frame including etc. all complete as per direction and full satisfaction of the Engineer / Bank authority. | 3 | Nos | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-----|---|------|------|------------|--------------|
| 6 | DOOR LOCK: Supply, fitting & fixing of round cylinder type imported door lock (with 3 keys) in position of best quality silver color including all required accessories ensuring minimum injury to door shutter and frame etc. all complete as per direction and full satisfaction of the Architect/ Engineer / Bank authority. | 3 | Nos | , | |
| 7 | COLUMN/ WALL PANELING (BY LAMINATED/MELAMINE BOARD): Supply, fitting & fixing of Full Height column or Wall cladding made of (12mm) laminated with Approved color/ texture, cladded on tilted wooden frame etc. complete in all respect as per design, drawing and direction of Architect/Authority. | 160 | sft | | |
| 8 | Plain Board Partition & Drop Partition Work: Supply, fitting & fixing Plain pertex work made of 12 mm board of fitted and fixed by plugs, nails, screws etc. in/c French polishing 3 coats over a coat of priming & Plastic paint 3 coats over a coat of priming. all complete as per drawing, design, direction of the engineer-in-charge & full satisfaction of the Bank authority. | 250 | Sft | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|------|---|------|------|------------|--------------|
| D. C | eiling & Curtain Glass Works | 2002 | | | |
| 1 | GYPSUM BOARD CEILING: Supplying, fitting and fixing gypsum board ceiling of 12 mm thick board laminated by mechanical hot press with a milk white PVC membrane with Aluminium T-bar frame in natural anodized finish at 600 x 600 mm in grid suspended from ceiling by 12 SWG double ply wire fixed to the ceiling by rowel plug, screws, hooks, nails etc. maintaining straight lines and desired finished level a bottom face with vertical wooden strut as required in/c making holes in slabs, or beams by electric drill machine and mending good the damages, if any, during execution of the work in/c cost of all materials, electricity, accessories, scaffoldings, labour for installation, screws, nails, etc. | 850 | Sft | | |
| 2 | DECORATIVE CEILING: Supplying, fitting and fixing of Design drop ceiling made of 12 mm thick Burma teak Veneered board/ 12 mm thick commercial board with best quality and well seasoned Garjan wood frame of section 75 x 38 mm at 600 x 600 mm in grid, fitted and fixed by plugs, nails, screws etc. in/c French polishing 3 coats over a coat of priming & Plastic paint 3 coats over a coat of priming. all complete as per drawing, design, direction of the engineer-in-charge & full satisfaction of the Bank authority. | 700 | Sft | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|------|--|------|-------|--------------|--------------|
| E. P | lumbing & Sanitation Work: | | | | |
| 1 | COMMODE WITH LOW DOWN:Supply, fitting & fixing of RAK Brand commode set (Off White color) with low down with connection pipe other fittings etc. All complete as per direction & full satisfaction of engineer in charge / bank authority. | 2 | Nos | | |
| 2 | COUNTER BASIN:Supply, fitting & fixing of RAK Brand counter basin set (Off White color) with other fittings etc. All complete as per direction & full satisfaction of engineer in charge / bank authority. | 1 | Nos | | |
| 3 | MIRROR:Supply, fitting & fixing mirror (6 mm) (foreign made) of best quality with necessary hardware, out side wooden frame etc. | 5 | Sft | | |
| 4 | STEEL SINK: Supply, fitting & fixing of stainless steel sink (36"x18") of (/RAK / Equivalent Brand) with necessary hardware etc. All complete as per direction & full satisfaction of the Bank Authority. | 1 | Nos | | |
| | SANITARY FITTINGS: Supply, fitting & fixing of toilet fixture of approved quality including fittings, thread tap, hardware with GI pipe & PVC pipe etc. All complete as per direction & full satisfaction of the Arc. | | | | |
| | i) Sink Cock (Nazma/ Sharif/Sattar Brand) | 1 | No | | |
| | ii) Angel stop cock (Nazma/ Sharif/Sattar Brand) | 5 | Nos | | |
| 5 | iii) Bib Cock (Nazma/ Sharif/Sattar Brand) | 1 | Nos | | |
| 3 | iv) Soap Case (Beco/ Meco/Sattar Brand) | 2 | Nos | | |
| | v) Towel Rail (Sharif/ Sattar Brand) | 2 | Nos | | |
| | vi) Toilet Paper holder (Sharif/ Sattar/Nazma Brand) | 2 | Nos | | |
| | vii) Push shower (Sharif/Nazma/ Sattar) | 2 | Nos | | |
| | viii) Piller Cock (Nazma/ Sharif Brand) | 1 | Nos | | |
| | xi) Magic pipe (Best Quality) | 2 | Nos | | |
| 6 | REQUIRED PLUMBING AND SANITARY WORKS FOR PANTRY & WASH: Necessary plumbing and sanitary works [internal and external, if required] including water, soil, waste water pipe with all fitting accessories of approved quality and specifications complete in all respect as per design drawing and direction of Architect/Authority. | 1 | job | | |
| | 2 | | SUB T | OTAL (BDT) = | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-------|--|------|------|------------|--------------|
| F, El | ectrical Work: | | | | |
| 1 | CONCEALED / EXPOSED CONDUIT Supply, fitting & fixing of following water grade PVC pipe exposed on false ceiling / tray with galvanized saddle/hanger as per routing shown in the drawing, specification and direction. The rate shall be inclusive the cost of accessories such as bends, tees. sockets, circular boxes, pull wire groove cutting, GI wire, sattle, scrow etc. All complete as per direction of the engineer-in-charge & full satisfaction of the Bank authority. | | | | |
| | a) ¾" dia PVC | 600 | Rft. | | |
| | b) 1" dia PVC | 450 | Rft. | | |
| | c) ¾" dia Flexible Pipe | 600 | Rft. | | |
| | d) 2" dia PVC pipe | 120 | Rft. | | |
| | CABLE WORK: Supply and installation including termination of PVC insulated or PVC sheathed single core BRB/BBS Brand cable including all accessories, cable socket of the following size etc. All complete as per direction of the engineer-in-charge & full satisfaction of the Bank authority. | | | | |
| 2 | i) 1 X 1.5rm (1-W) BYA cable | 13.0 | Coil | | |
| | ii) 1 X 2.5rm (7-W) BYA cable | 11.0 | Coil | | |
| | iii) 1 X 4rm (7-W) BYA cable | 6 | Coil | | |
| | iv) 1 X 6 rm BYA cable | 60 | Rft | | |
| | v) 1 X 16 rm BYA cable | 200 | Rft | | |
| | vi) 1C X 1.5 re BYA (Green) | 8 | Coil | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-----|--|------|------|------------|--------------|
| 3 | EARTHING SYSTEMS: Supplying & installation 150' to 180' depth more or less completed all necessary Copper Bar, wire, earth electrod, salt, cowdung etc. in all respect testing and commissioning. | 1 | Nos | | |
| 4 | SUB DISTRIBUTION BOARD: Supply and installation of SDB box (s) of 18 SWG sheet metal enclosed hammer painted with hinged front cover with required nuts, bolts etc. having knockout for conduit / cables entry and exit (bottom / top as required) for 415/240V TP & N/SP&N operations. The box should have solid neutral link. The M.C.C.B.s and M.C.B.s and bas bar 600 Amp are to be supplied by contactor and be so arranged as to keep knobs of the M.C.C.B.s and M.C.B.s projected over the cover. Each box should have one copper earthling block of required numbers of required dia drilled holes for accommodating the terminals of ECC with Copper lug (where applicable) including required numbers of brass nuts bolts etc. The bus bar rate shall include the cost of best quality insulators etc. | | | | ir. |
| | i) DB Box - Local Made (Size- 900x750x110 mm) | 2 | Pc. | | |
| | ii) 63A TP MCCB (Legrand, Energypac) | 2 | Pcs | | |
| | iii) 6A to 40A SP MCB-6 kA (Legrand, Energypac) | 15 | Pcs | | |
| | iv) 20A TP MCB (Legrand, Energypac) | 2 | Nos | | |
| | LIGHT FITTINGS: | | | | |
| | i) LED. PANEL LIGHT (6"x6"):Supply, fitting & fixing locally available LED Panel light 12 watt of approved color & size including conceal type shade with other necessary accessories etc. All complete as per direction of the Consulting Architect & full satisfaction of Engineer. | 40 | Nos | | |
| 5 | ii) HANGING LIGHT:Supply, fitting & fixing of Imported Hanging Light Shade over Cash counter and account opening Counter. all complete up to testing & commissioning as per direction & full satisfaction of Engineer-in-charge. | 0 | Nos | | |
| | iii) 4' Bracket / Flat set Tube Light | 4 | Nos | | |
| | iv) Strip Tube light | 60 | Rft | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-----|---|-------------------|------|------------|--------------|
| | SWITCH/ SWITCH STEEL BOX: Supply and installation of following switch and soket of approved quality | Wester (I) Wester | | | |
| | i) MK Steel Box (3" X 3" X 2") | 50 | Nos | | |
| | ii) 5A, 2 Gang (1 way) switch | 5 | Pcs | | |
| | v) 5A, 3 Gang (1 way) switch | 5 | Pcs | | |
| 6 | vi) 5A, 4 Gang (1 way) switch | 5 | Pcs | | |
| | vii) 20A Switch (for Sign board) | 1 | Pcs | | |
| | viii) 10A, 2pin socket | 3 | Pcs | | |
| | ix) 13A, 3pin socket | 32 | Pcs | | |
| | x) 15A, 3pin socket | 5 | Pcs | | |
| | xi) Bell Push Switch | 4 | Pcs | | |
| 7 | WALL FAN: Supply and installation of 220V, 50Hz imported wall moving fan including all accessories etc. all complete up to testing & commissioning as per direction & full satisfaction of Engineer-in-charge. | 2 | Nos | | |
| 8 | WALL AND EXHAUST FAN:Supply and installation of 220V, 50Hz imported exhaust including all accessories etc. all complete up to testing & commissioning as per direction & full satisfaction of Engineer-in-charge. | 2 | Nos | | |
| 9 | SECURITY ALARM: Supply, fitting and fixing of SECURITY Alarm etc. all complete as per design, direction and full satisfaction of the Architect. | 1 | No | | |
| | Generator Connection Work | | | | |
| 10 | (a) 1C 6.0 RM BRB BYA Cable | 500 | rft | | |
| 8 | (b) 1" Flexible Pipe | 125 | rft | | |
| | (c) Other accessories and connection charge | 01 | Job | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-------|--|------|-------|--------------|--------------|
| G. Ir | nternet & Networking Works | | | - P | 师通真基 |
| 1 | Supply, fitting and fixing of Networking material like switch, cable, rack, moduler, moduler jack, face plate, connector etc. all complete as per required. | | | | |
| | a) Cable Cat-6 (Brand -Systemix panduit) | 1 | Box | | |
| | b) Dual Face Plate with modular (Brand -Systemix panduit) | 8 | Nos | | |
| | c) Switch D-Link, 24 port, Managable | 1 | Nos | | |
| | d) Patch Coard (1 Meter) | 12 | Nos | | |
| | e) Patch Coard (2 Meter) 20A Switch | 8 | Nos | | |
| | f) Patch Panel | 1 | Nos | | |
| | g) Cable Manager | 1 | Nos | | |
| | h) IT Rack | 1 | Nos | | |
| | | | SUB T | OTAL (BDT) = | |
| G. N | Niscellaneous Work: | | | 10.5 | 表表示 |
| 1 | FROSTED PAPER WORK: Supply, fitting and fixing of adhesive frosted paper (Taki Brand) on clear glass, pasting and cutting with fine finish etc. all complete as per design, direction and full satisfaction of the Architect/Engineer. | 230 | Sft | | |
| 2 | VERTICAL BLIND WORK: Supply, fitting and fixing of imported best quality vertical blinds (5" thick) of approved color with all imported accessories say pvc coupling cod controlling chain, bottom weight plate, bottom chain | 0 | Sft | | |
| 3 | Square Shape SS Box Leg for low height glass partition (2"x2"x4'-0"H) 2.5mm thikness complete in all respect as design & drawing & direction of Architect/ authority. | 0 | Nos | | |
| 4 | COLLAPSIBLE GATE: Supply, fitting & fixing collapsible gate made of 25mmX25mmX5mm MS angle bar, 20mmX5mm MS flat bar and necessary accessories etc. complete in all respect as per design, as per direction and full satisfaction of the Architect/Engineer. | 40 | Sft | | |



| C.I | | 0. | | R (BDT) | |
|-------|---|------------|-------|--------------|------------------|
| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
| 5 | ROLLING SHUTTER: Supply, fitting & fixing M S rolling shutter made of strips (imported G.P. sheet) of approved thickness and quality including locking arrangement etc. All complete as per design, direction and full satisfaction of Engineering in charge | 45 | Sft | | |
| 6 | WINDOW GRILL: Supply, fitting & fixing window grill made of 12mmX12mm MS bar, and necessary accessories etc. complete in all respect as per design, as per direction and full satisfaction of the Architect/Engineer. | 0 | Sft | | |
| | | | SUB T | OTAL (BDT) = | |
| I. Fu | rniture Works: | n Militari | | | AND AND ADDRESS. |
| 1 | MANAGER TABLE WITH SIDE TABLE: Supply, fitting & fixing Manager Table made of Maximum density fibre (MDF) board with licker polish/ Burmateak Veneered Board with french polish, top of polish one coat of white licker will be used, secretariate drawer unit, key board tray, wire cap,leg stopper, SS knob, lock etc. | 1 | Nos | | |
| 2 | MANAGER OPERATION TABLE WITH SIDE TABLE: Supply, fitting & fixing Manager Table made of Maximum density fibre (MDF) board with licker polish/Burmateak Veneered Board with french polish, top of polish one coat of white licker will be used, secretariate drawer unit, key board tray, wire cap,leg stopper, SS knob, lock etc. | 1 | Nos | | |
| 3 | OFFICER TABLE: Supply, fitting & fixing Officer Table made of Melamine board, Melamine edging(2mm thick) secretariate wire cap, concealed hinge, best quality hardware etc, as per direction and full satisfaction of the Bank Authority. | 3 | No | | |
| 4 | MEETING TABLE: Supply, fitting & fixing meetingTable made of Melamine board, Melamine edging(2mm thick) secretariate wire cap, concealed hinge, best quality hardware etc, as per direction and full satisfaction of the Bank Authority. | 1 | No | | - |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-----|--|------|------|------------|--------------|
| 5 | CENTER TABLE: Supply, fitting & fixing 3' dia Meeting Table made of laminated particle board, both side lamination pasted, pvc edging . all complete as per direction and full satisfaction of the Engineer in charge. | 1 | nos | | |
| 6 | PHOTOCOPY DESK:Supply, fitting & fixing photocopy deskmade of 25 mm thick Melamine board, 2mm thick Melamine edging,back side 6mm thick PVC board, leg stopper, drawer, chanel, SS knob, best quality hardware etc .all complete as per direction and full satisfaction of the Bank Authority. | 1 | Nos | | |
| 7 | MOBILE DRAWER: Supply, fitting & fixing Mobile Drawer made of 18 mm thick Melamine board, 1mm thick Melamine edging, drawer channel, SS knob, lock, best quality hardware etc, .all complete as per direction and full satisfaction of the Bank Authority.(Star Particle Board, Partex Brand) | 4 | Nos | | |
| 8 | FULL/LOW HEIGHT CABINET: Supply, fitting & fixing low height cabinet made of Melamine board, Melamine edging (2mm thick), leg stopper, SS knob, lock, concealed hinge other standard hardware .all complete as per direction and full satisfaction of the Bank Authority. | 260 | Sft | | |
| 9 | KITCHEN CABINET: Supply, fitting & fixing Kitchen cabinet made of 18 mm thick Melamine board, SS knob, conciled hinge, Shutter, 2mm thick Melamine edging, shelve, best quality hardware, etc.all complete as per direction and full satisfaction of the Bank Authority. | 28 | Rft | | |
| 10 | CHEQUE WRITING DESK: Supply, fitting & fixing Check writing desk made of imported laminated board, 8 mm thick glass, other standard hardware .all complete as per direction and full satisfaction of the Engineer in charge. | 1 | No | | |



| SI. | Particulars | Qty. | Unit | Rate (BDT) | Amount (BDT) |
|-----|--|------|------|------------|--------------|
| 11 | NOTICE BOARD :Supply, fitting & fixing Notice Board as per bank standard. | 1 | Nos | | |
| 12 | MANAGER CHAIR: Supply, fitting & fixing Chair with midium tilted back, foreign fabric and 5 leg with wheel. all complete as per direction and full satisfaction of the Engineer in charge. | 1 | No | | Đ |
| 13 | MANAGER VISITOR CHAIR: Supply, fitting & fixing Visitor's Chairs with fabric cover tilted back , without leg. All complete as per direction of the Engineer in charge. | 2 | Nos | | |
| 14 | OPERATION MANAGER CHAIR:Supply, fitting & fixing Chair with midium tilted back, foreign fabric and 5 leg with wheel.all complete as per direction and full satisfaction of the Engineer in charge. | 1 | Nos | | |
| 15 | OFFICER CHAIR: Supply, fitting & fixing Chair with midium tilted back, foreign fabric and 5 leg with wheel.all complete as per direction and full satisfaction of the Engineer. | 6 | Nos | - | |
| 16 | MEETING ROOM CHAIR: Supply, fitting & fixing Chairs with fabric cover tilted back, without leg. All complete as per direction of the Engineer in charge. | 4 | Nos | | |
| 17 | OFFICER VISITOR CHAIR: Supply, fitting & fixing Chairs with fabric cover tilted back, without leg. All complete as per direction of the Engineer in charge. | 6 | Nos | | |
| 18 | STOOL: Supply, fitting & fixing Stool with fabric cover tilted back, without leg. All complete as per direction of the Engineer in charge. | 3 | Nos | | |
| 19 | SOFA 3 SEATER:Sofa (double seated): Supply of sofa made of wooden body with imported foreign rexine (Indonasia) upholstered of approved color 06 legs will be 3"x3" x3" SS box which 2 mm thick. | 1 | Set | | ,- |



